AMSAT Weekly Satellite Report
Issue: WSR-050
Date: 2006-02-19
Sources: amsat-ans-2006-wsr-050.txt

---
This report is organized into 4 parts.
Part 1 - operational analog amateur satellites.
Part 2 - operational digital amateur satellites.
Part 3 - non - operational satellites
Part 4 - proposed satellites

SB SAT @ AMSAT W8ISS ANS-050.S1
WSR 050 Part 1 02/19/2006

AMSAT NEWS SERVICE BULLETIN 050.S1 FROM AMSAT HQ
SILVER SPRING, MD, February 19, 2006
TO ALL RADIO AMATEURS
BID: $ANS-050.S1

AO-54 SUITSAT
Catalog Number:28934
Release Date: February 3,2006

Status: Operational?
Modes : FM Voice Telemetry/Greetings
 FM SSTV

Callsign: RS0RS
Downlink: 145.990 FM

Official webpage: http://www.suitsat.org

Current reports state that nothing has been heard from SUITSAT for the
past few days.
Current status is unknown right now.
[02192006]
=====
VO-52 HAMSAT
Catalog Number: 28650
Launch Date: May 05,2005

Status: Operational
Current Mode: U/V - Indian Transponder

Proposed frequencies:
---
Indian Transponder:
Uplink : 435.220 MHz to 435.280 MHz LSB/CW
Downlink: 145.870 MHz to 145.930 MHz USB/CW
Beacom : 145.859330 MHZ CW

Dutch Transponder:
Uplink : 435.225MHz to 435.275MHz LSB/CW
Downlink: 145.875MHz to 145.925MHz USB/CW
Beacon : 145.860MHz 12WPM with CW message

Official Webpage: http://www.amsat.in/hamsat.htm

To know what transponder is switched on please listen for the beacon
that is
active. Each transponder has a different beacon, see below:

Indian transponder - unmodulated carrier on

145.936MHz.
Dutch Transponder - CW message on 145.860MHz.
[01152006]
=====
AO-51 ECHO
Catalog number: 28375
Launch date: June 29, 2004

Status: Testing
Curent Mode: PBBS - V/U 9K6
Voice Repeater - OFF
Digipeater - ON

Analog voice downlink: 435.300 MHz FM
435.150 MHz FM
Analog voice uplink: 145.880 MHZ FM
145.880 MHz USB
145.920 MHz FM 67Hz PL tone
1268.700 MHz FM 67Hz PL tone

Digital Downlinks: 435.150 MHz FM, 38k4 Digital, PBP, 1 watt output
2401.200 MHz FM 38k4 bps, AX.25
Digital Uplink: 145.860 MHz FM, 9k6 Digital, Pacsat Broadcast
Protocol (PBP)

Broadcast: PECHO-11
BBS: PECHO-12

Official Webpage: http://www.amsat.org/amsat-new/echo/

Schedule from the AO-51 Command Team:

Feb 20
9k6 Digital, V/U, High Power, PBP BBS (Pacsat Broadcast Protocol BBS)
TLM Data Active, Digipeater ON
Uplink: 145.860 mhz FM, 9k6 PBP Digital
Downlink: 435.150 mhz FM, 9k6 PBP Digital
Digipeater will be Turned ON

Feb 27
FM Repeater, V/U
Uplink: 145.920 mhz FM, 67 hz PL Tone
Downlink 435.300 mhz FM
9k6 Digital, V/U, PBP BBS (Pacsat Broadcast Protocol BBS)
TLM Data Active
Uplink: 145.860 mhz FM, 9k6 PBP Digital
Downlink: 435.150 mhz FM, 9k6 PBP Digita
[02192006]
=====
SO-50 SAUDISAT-1C
Catalog number: 27607
Launched: December 20, 2002

Status: Operational.

Uplink: 145.850 MHz (67.0 Hz PL tone) (See below for operating
procedures)
Downlink: 436.795 MHz

Official Webpage: http://saudisat.kacst.edu.sa/index.shtml
(not up and running currently)

There have been unconfirmed reports on the amsat-bb remailer that SO-50
has

shifted downlink frequency as much as 5khz up. This both from Europe.

To switch the transmitter on, you need to send a CTCSS tone of 74.4 Hz. The
order of operation is thus: (allow for Doppler as necessary)

1) Transmit on 145.850 MHz with a tone of 74.4 Hz to arm the 10 minute timer
on board the spacecraft.
2) Now transmit on 145.850 MHz (FM Voice) using 67.0 Hz to PT the repeater
on and off within the 10 Minute window.
3) Sending the 74.4 tone again within the 10 minute window will reset the 10
minute timer.
[01012006]
=====
FO-29 JAS-2
Catalog number: 24278
Launch Date: August 17, 1996

Status: OPERATIONAL

Voice/CW Mode JA
Uplink: 145.90 to 146.00 MHz CW/LSB
Downlink: 435.80 to 435.90 MHz CW/USB
Beacon: 435.795 MHz

Digital Mode JD
Uplink: 145.850 145.870 145.910 MHz FM
Downlink: 435.910 MHz 1200-baud BPSK or 9600-baud FSK
Callsign: 8J1JCS
Digitalker: 435.910 MHz

unOfficial Webpage: http://www.amsat.org/amsat/sats/n7hpr/fo29.html
[11132005]
=====
AO-27 AMRAD
Catalog number: 22825
Launched: September 26, 1993

Status: Operational

Uplink: 145.850 MHz FM
Downlink: 436.795 MHz FM

Official Webpage: http://www.ao27.org
[01012006]
=====
AO-7 AMSAT OSCAR 7
Catalog number: 07530
Launch Date: November 15, 1974

Status: Operational until March 14th

Uplink: 145.850 to 145.950 MHz CW/USB Mode A
432.125 to 432.175 MHz CW/LSB Mode B
Downlink: 29.400 to 29.500 MHz CW/USB Mode A (1W PEP)
145.975 to 145.925 MHz CW/USB Mode B (8W PEP)
145.975 to 145.925 MHz CW/USB Mode C (2W PEP)
Beacons: 29.502 MHz
145.972 MHz
435.100 MHz
2304.100 MHz

AO-7's orbit no longer goes into eclipse, so it is operating on a 24 hour
timer that changes the mode schedule at approximately 0900z each day. The
timer alternates the satellite's operational mode between Mode A and
Mode B.

Please use QRP when operating on AO-7! There are no batteries, and excessive
power may cause unexpected behavior and possibly damage the satellite. Mode
B users are likely to experience a Mode change from Mode B to Mode C if the
buss voltage drops. This will be marked by a decrease in signal strength
from AO-7 due to the lower power of Mode C.

AO-7 is expected to remain on this schedule until approximately 14 March 2006
at which time it will re-enter a period of eclipse on each orbit.

Official Webpage:
http://www.amsat.org/amsat-new/satellites/sat_summary/ao7.php
The AO-7 Logbook and Resource Website:
http://www.planetemily.com/ao7/
AO-7 users are requested to log their contacts and observations about AO-7,
especially any unexpected mode changes.
AO-07 telemetry software webpage:
http://www.qsl.net/k3tz/files/K3TZ_AO-07_Telemetry_Decoder_0.5.zip
[01222006]
=====
INTERNATIONAL SPACE STATION (ISS) - ARISS
Catalog number: 25544
Launch date: November 20, 1998

Status: Operational
Current Mode: CROSSBAND REPEATER V/U ?
Digipeater: OFF

The current Expedition 12 crew is:
Commander: William McArthur - KC5ACR
Flight Engineer: Valery Tokarev - (no call)

Digital/APRS:
Worldwide packet uplink: 145.990 MHz FM
Worldwide packet downlink: 145.800 Mhz FM

Voice:
Region 1 voice uplink: 145.200 MHz FM
Region 2/3 voice uplink: 144.490 MHz FM
Worldwide downlink: 145.800 MHz FM

Crossband Repeater:
Repeater Uplink: 437.800 MHz FM
Repeater Downlink: 145.800 MHz FM

Callsigns:
Russian: RS0ISS, RZ3DZR
USA: NA1SS
Packet Mailbox: RS0ISS-11
Packet Keyboard: RS0ISS-3
Digipeater callsign: ARISS

Official Webpage: http://www.rac.ca/ariss
Official Fan club Webpage: http://www.issfanclub.com
APRS tracking page: http://www.ariss.net/

ISS Daily Crew Schedule: http://spaceflight.nasa.gov/station/timelines/
Remember that the crew operates on UTC time. Also, all of the time line
is
NOT translated from Russian and posted.

Currently, the ISS equipment is configured into crossband repeater mode
from
2m to 70cm to help broaden the range of Suitsat. PLEASE REFRAIN FORM
TRANS-
MITTING WHILE SUITSAT IS ACTIVE.
[02062006]
NNNN
/EX

SB SAT @ AMSAT W8ISS $ANS-050.S2
WSR 050 Part 2 02/19/2006

AMSAT NEWS SERVICE BULLETIN 050.S2 FROM AMSAT HQ
SILVER SPRING, MD, February 19, 2006
TO ALL RADIO AMATEURS
BID: $ANS-050.S2

XI-V ?O-??
Catalog Number: 28895
Launch Date: October 27, 2005

Status: Operational only within range of Ground station in Japan

Telemetry Downlink: 437.345MHz - FSK 1200bps using AFK protocol
Beacon Downlink: 437.465MHz - CW about 50 WPM

Callsign: JQ1YGW

Oficial Webpage: http://www.space.t.u-tokyo.ac.jp/gs/satinfo-e.html#xi5
Pictures received by Mineo Wakita - JE9PEL:
http://www.ne.jp/asahi/hamradio/je9pel/
[01222006]
=====
INTERNATIONAL SPACE STATION (ISS) - ARISS
Catalog number: 25544
Launch date: November 20, 1998

Status: Operational
Current Mode: CROSSBAND REPEATER - V/U
Digipeater: OFF

The current Expedition 12 crew is:
Commander: William McArthur - KC5ACR
Flight Engineer: Valery Tokarev - (no call)

Digital/APRS:
Worldwide packet uplink: 145.990 MHz FM
Worldwide packet downlink: 145.800 Mhz FM

Voice:
Region 1 voice uplink: 145.200 MHz FM
Region 2/3 voice uplink: 144.490 MHz FM
Worldwide downlink: 145.800 MHz FM

Crossband Repeater:
Repeater Uplink: 437.800 MHz FM
Repeater Downlink: 145.800 MHz FM

Callsigns:
Russian: RS0ISS, RZ3DZR
USA: NA1SS
Packet Mailbox: RS0ISS-11
Packet Keyboard: RS0ISS-3
Digipeater callsign: ARISS

Official Webpage: http://www.rac.ca/ariss
Official Fan club Webpage: http://www.issfanclub.com
APRS tracking page: http://www.ariss.net/

ISS Daily Crew Schedule: http://spaceflight.nasa.gov/station/timelines/
Remember that the crew operates on UTC time. Also, all of the time line
is NOT translated from Russian and posted.

Currently, the ISS equipment is configured into crossband repeater mode
from
2m to 70cm to help broaden the range of Suitsat. PLEASE REFRAIN FORM
TRANS-
MITTING WHILE SUITSAT IS ACTIVE.
[02062006]
=====
PCSAT2
Catalog Number: 25544
Launch Date: August 1, 2005

Activated: August 3, 2005
Status: Battery-saving mode
Current Mode: None

Digital Downlink: 435.275 Mhz
Digital Uplink: 145.825 Mhz
PSK-31 Downlink: 435.275 Mhz
PSK-31 Uplink: 29.400 - 29.403 Mhz

Broadcast:
BBS:

Official Webpage: http://web.usna.navy.mil/~bruninga/pcsat2.html

PCSAT2 APRS Packet page: http://www.findu.com/cgi-bin/pcsat2.cgi

This from Bob, WB4APR:

PCSAT2 was off due to low-power shut down for more than a week. We
recover-
ed her on Saturday. She should be doing telemetry once every 30 seconds
now.
[02122006]
=====
AO-51 ECHO
Catalog number: 28375
Launch date: June 29, 2004

Status: Testing
Curent Mode: PBBS - V/U 9K6
Voice Repeater - OFF
Digipeater - ON

Analog voice downlink: 435.300 MHz FM

435.150 MHz FM
Analog voice uplink: 145.880 MHZ FM
145.920 MHz FM 67Hz PL tone
1268.700 MHz FM 67Hz PL tone

Digital Downlinks: 435.150 MHz FM, 38k4 Digital, PBP, 1 watt output
2401.200 MHz FM 38k4 bps, AX.25
Digital Uplink: 145.860 MHz FM, 9k6 Digital, Pacsat Broadcast
Protocol (PBP)

Broadcast: PECHO-11
BBS: PECHO-12

Schedule from the AO-51 Command Team:

Feb 20
9k6 Digital, V/U, High Power, PBP BBS (Pacsat Broadcast Protocol BBS)
TLM Data Active, Digipeater ON
Uplink: 145.860 mhz FM, 9k6 PBP Digital
Downlink: 435.150 mhz FM, 9k6 PBP Digital
Digipeater will be Turned ON

Feb 27
FM Repeater, V/U
Uplink: 145.920 mhz FM, 67 hz PL Tone
Downlink 435.300 mhz FM
9k6 Digital, V/U, PBP BBS (Pacsat Broadcast Protocol BBS)
TLM Data Active
Uplink: 145.860 mhz FM, 9k6 PBP Digital
Downlink: 435.150 mhz FM, 9k6 PBP Digita
[02192006]
=====
NO-44 PCSAT
Catalog number: 26931
Launch Date: September 30, 2001

Status: Operational

General Usage Uplink/Downlink:145.827 MHz 1200 Baud
Special Usage Downlink: 144.390 Mhz 1200 Baud

PCSAT APRS page: http://pcsat.aprs.org

Anyone can work PCSAT-1 with ANY typical 1200 baud packet
station on 145.825. Just set your path to UNPROTO APRS via
ARISS (the same that you use via ARISS on the ISS or via PCSAT2).
Mobiles with the D700 or the TH-D7 HT APRS radios will see packets
directly on their front panel and can work it from their mobile.
[01012006]
=====
CUTE-1
Catalog number: 27844
Launched: June 30,2003

Status: Operational

Uplink: ?
Downlink: 436.8375 CW
437.4700 1200 FM ax25 or SRLL (ACTIVE only near Japan ? )
Information webpage:
http://lss.mes.titech.ac.jp/ssp/spacerium/cute1blog/
[01012006]
=====
GO-32 TECHSAT-1B

Catalog number: 25397
Launch Date: July 10, 1998

Status: Operational

Downlink: 435.225 MHz FM (9600-baud FSK)
(435.325 n/a - temperature problems)
Uplinks: 145.850, 145.890, 145.930 FM
1269.700, 1269.800, 1269.900 FM
Broadcast Callsign: 4XTECH-11
BBS Callsign: 4XTECH-12

Mineo, JE9PEL, reports February 02, 2006:
4XTECH-12>STATUS [02/02/06 20:39:52] <UI R>:
UTC: Thu Feb 02 11:39:35 2006 | Gurwin Techsat1B (V9.86)
BBS(9.86) is active ,AsherSpaceResearchInst greets you.
2 Users/8 Broadcasts, Uplink freq:145.890,145.850,145.930, 1269.800,
1269.900

TechRam2V9.86
TechRam2V9.86.

More information of GO-32 can be found at:
http://www.iarc.org/techsat/techsat.html
[ANS-WSR wishes to thank Jeff, KB2M for this weeks report.]
[02122006]
=====
AO-16 PACSAT
Catalog number: 20439
Launch Date: January 22, 1990

Status: Semi-operational, the digipeater command is on and open for
APRS users.

Uplink: 145.90 145.92 145.94 145.96 MHz FM
(using 1200-baud Manchester FSK)
Downlink: 437.026 MHz SSB (1200-baud PSK)
Mode-S Beacon: 2401.1428 MHz
Broadcast Callsign: PACSAT-11
BBS: PACSAT-12

AMSAT Webpage: http://www.amsat.org/amsat/sats/n7hpr/ao16.html
[01012006]
=====
UO-11 OSCAR-11
Catalog number: 14781
Launched: March 1, 1984

Status: Semi-operational?

Telemetry Downlink: 145.826 MHz. FM (1200-baud AFSK).
approx. 10 days ON, 10 days OFF
Mode-S Beacon: 2401.500 MHz. ... OFF
UHFBeacon: 435.025 MHz. ... OFF

Official webpage: http://www.users.zetnet.co.uk/clivew/
MPEG3 files: http://www.ne.jp/asahi/hamradio/je9pel/uo11tlme.htm

This from Clive, G3CWV:

Users of OSCAR-11 may be interested in recent additions to my website.
Firstly UCAP, this is a simple OSCAR-11 capture program for Windows, and
may be used instead of CTERM. It features an accurate time stamp
facility,

which is useful for checking the satellite's real time clock.

Secondly, the news and telemetry archives have been updated to include all
the 2005 data. The URL is http://www.users.zetnet.co.uk/clivew

During the period 14 December 2005 to 23 January 2006 the VHF beacon on 145.826 MHz. has been heard from 23 to 31 December and from 11 to 21 January.

Signals during the December passes were very variable. Sometimes received at
good strength, at other times they were inaudible , even with the BFO switch-
ed ON (ie. in CW mode). Signals during the January passes tended to be much
stronger, and good copy was obtained on most passes.

The on-board clock continues to accumulate a very large error. On 21 January it was 22.14 days slow, having lost 0.33 days (8 hours) since 09 December. However, the rate of change of clock error appears to vary between
zero and half an hour per day, over short periods. The greatest changes seem
to correspond with poor signals, which suggests that the clock may slow or
stop when the battery voltage is low.

All the analogue telemetry channels, 0 to 59 are zero, ie they have failed.
The status channels 60 to 67 are still working.

The satellite is now in continuous sunlight until around 06 May, when eclipses will start again. This should help the satellite to continue transmitting, although continuous sunlight can cause problems due to excessive temperatures. Power supply problems can be caused by poor pointing attitude, ie the sunlight illuminating the ends of the satellite,
instead of the solar arrays.

The watchdog timer now appears to have resumed operation on the 20 day cycle, ie. approximately ten days ON followed by 10 days OFF. However, at
any time, poor solar attitude, and battery problems, may result in a low 14
volt line supply, which may cause the beacon to switch OFF prematurely, and
reset the watchdog timer cycle.

The Beacon frequencies are -

VHF 145.826 MHz. AFSK FM ASCII Telemetry

UHF 435.025 MHz. OFF

S-band 2401.5 MHz. OFF

Listeners to OSCAR-11 may be interested in visiting my website which contains an archive of news & telemetry data. It also contains details about using a soundcard or hardware demodulators for data capture. There
is software for capturing data, and decoding ASCII telemetry. The URL is
www.users.zetnet.co.uk/clivew/

If you place this bulletin on a terrestrial packet network, please
use the bulletin identifier $BID:U2RPT117.CWV, to prevent duplication.
[01292006]
NNNN
/EX

SB SAT @ AMSAT W8ISS $ANS-050.S3
WSR 050 Part 3 02/19/2006

AMSAT NEWS SERVICE BULLETIN 050.S3 FROM AMSAT HQ
SILVER SPRING, MD, February 19, 2006
TO ALL RADIO AMATEURS
BID: $ANS-050.S3

THE FOLLOWING ARE IN ORBIT BUT ARE NON-OPERATIONAL AT THIS TIME:

NCUBE-2 ?O-??
Catalog Number: 28894
Launch Date: October 27, 2005

Status: Still attached to XO-53 (SSETI)

Proposed Callsign: TBA
Proposed Transmit Frequency: 437.305
2407.25
[01012006]
=====
XO-53 SSETI
Catalog Number: 28894
Launch Date: October 27, 2005

Status: Non-operational

Voice Uplink: 437.250 FM 67Hz CTCSS
Voice Downlink: 2401.835 FM
Packet Up/Downlink: 437.250 9k6 packet
Packet Downlink 2401.835 38k4 packet

Official webpage: http://sseti.gte.tuwien.ac.at/WSW4/
Latest news: http://sseti.gte.tuwien.ac.at/WSW4/MOPWS/news.php
[01292006]
=====
POSAT-1 PO-28
Catalog Number: 22829
Launched : September 25, 1993

Status: Operational - Not open for Amatuer use

Downlink: 429.950

Uplink: Not until handover back to Amatuer usage

Broadcast callsign: POSAT1-11
BBS callsign: POSAT1-12

AMSAT Webpage: http://www.amsat.org/amsat/sats/n7hpr/po28.html.
POSAT-1
webpage:http://www.ee.surrey.ac.uk/SSC/CSER/UOSAT/missions/posat1.html
[01012006]
=====
AO-10 OSCAR 10
Catalog number: 14129
Launched: June 16, 1983

Status: Non-operational

Uplink: 435.030 to 435.180 MHz CW/LSB
Downlink: 145.975 to 145.825 MHz CW/USB
Beacon: 145.810 MHz (unmodulated carrier)

AO-10 has been locked into a Mode-B, 70-cm uplink and
2-meter downlink for several years.

W4SM has more information about the satellite at the following URL:
http://www.cstone.net/~w4sm/AO-10.html
[05092004]
=====
IO-26 ITAMSAT
Catalog number: 22826
Launch Date: September 26, 1993

Status: Downlink only

Uplink: 145.875 145.900 145.925 145.950 MHz FM (1200-baud)
Downlink: 435.808 MHz PSK
Broadcast Callsign: ITMSAT-11
BBS: ITMSAT-12

Official webpage: http://www.itamsat.org
AMSAT Webpage: http://www.amsat.org/amsat/sats/n7hpr/io26.html
[01012006]
=====
RS-12 RADIO SPORT RS-12
Catalog number: 21089
Launched: February 5, 1991

Status: Non-operational

Uplink: 21.210 to 21.250 MHz CW/USB
Downlink: 29.410 to 29.450 MHz CW/USB
Beacon: 29.408 MHz
Robot: 29.454 MHz
[05232004]
=====
RS-13 RADIO SPORT RS-13
Catalog number: 21089
Launched: February 5, 1991

Status: Non-operational

Uplink: 21.260 to 21.300 MHz CW/USB
Downlink: 145.860 to 145.900 MHz CW/USB
Beacon: 145.860 MHz
Robot: 145.908 MHz
[05232004]
=====
UO-14 UoSAT-3
Catalog number: 20437
Launched: January 22, 1990

Status: Non-operational

Uplink 145.975 MHz FM
Downlink 435.070 MHz FM
[05092004]
=====
UO-22 UOSAT

Catalog number: 21575
Launched: July 17, 1991

Status: Non-Operational

Uplink: 145.900 FM 9600-baud FSK
Downlink: 435.120 MHz FM
Broadcast Callsign: UOSAT5-11
BBS: UOSAT5-12
[01092005]
=====
RS-15 RADIO SPORT RS-15
Catalog number: 23439
Launch Date: December 26, 1994

Status: Non-operational?

Uplink: 145.858 to 145.898 MHz CW/USB
Downlink: 29.354 to 29.394 MHz CW/USB
Beacon: 29.352 MHz (intermittent)
SSB meeting frequency: 29.380 MHz (unofficial)
[06202004]
=====
LO-19 LUSAT
Catalog number: 20442
Launched: January 22, 1990

Status: CW Beacon only

Uplink: 145.84 145.86 145.88 145.90 MHz FM
(using 1200-baud Manchester FSK)
CW downlink: 437.125 MHz
Digital downlink: 437.150 MHz SSB (RC-BPSK 1200-baud PSK)
Broadcast Callsign: LUSAT-11
BBS: LUSAT-12o

General information and telemetry samples can be found at:
www.telecable.es/personales/ea1bcu
[05232004]
=====
FO-20 JAS-1b
Catalog number: 20480
Launch Date: February 07, 1990

Status: Non-Operational

Uplink: 145.90 to 146.00 MHz CW/LSB
Downlink: 435.80 to 435.90 MHz CW/USB
Beacon: 435.795

More FO-20 info can be found at:
http://www.amsat.org/amsat/sats/n7hpr/fo20.html
[08152004]
=====
KO-23 KITSAT
Catalog number: 22077
Launched: August 10, 1992

Status: Non-operational

Uplink: 145.900 MHz FM (9600-baud FSK)
Downlink: 435.170 MHz FM
Broadcast Callsign: HLO1-11
BBS: HLO1-12

Jim, AA7KC, reports that KO-23's downlink transmitter continues in a
non-operational status.
[05092004]
=====
KO-25 KITSAT
Catalog number: 22828
Launched: September 26, 1993

Status: Non-operational

Uplink: 145.980 MHz FM (9600-baud FSK)
Downlink: 436.500 MHz FM
Broadcast Callsign: HL02-11
BBS: HL02-12
[05092004]
=====
PO-34 PANSAT
Catalog number: 25520
Launched: October 30, 1998

Status: Telemetry downloads only

Uplink/downlink: 436.500 MHz

Official Webpage: http://www.sp.nps.navy.mil/pansat/
[05092004]
=====
SO-33 SEDSAT-1
Catalog number: 25509
Launched: October 24, 1998

Status: Semi-operational

Downlink: 437.910 MHz FM (9600-baud FSK)

The satellite is not currently available for uplink transmissions and
the image and transponder recovery efforts have been unsuccessful.

For more information on SedSat-1 visit the satellite web site:
http://seds.uah.edu/projects/sedsat/sedsat.htm

[ANS-WSR has no further information]
[05232004]
=====
SO-35 SUNSAT
Catalog Number: ?
Launched:February 23, 1999

STatus: Non-Operational

Downlink: Mode B Repeater: 436.291 MHz
Mode J Digipeater: 436.250 MHz

Uplinks: Mode B Repeater: 145.825 MHz
Mode J Digipeater: 145.825 MHz and 145.900 MHz

For more information of SUNSAT vist the satellite web site:
http://esl.ee.sun.ac.za/projects/sunsat/
[08082004]
=====
UO-36 UoSAT-12
Catalog number: 25693
Launched: April 21, 1999

Status: Unknown

Uplink: 145.960 MHz (9600-baud FSK)
Downlink: 437.025 MHz 437.400 MHz
Broadcast Callsign: UO121-11
BBS: UO121-12

The VK5HI viewer shareware for UO-36 is available on the AMSAT-NA
web site at the following URL:
ftp://ftp.amsat.org/amsat/software/win32/display/ccddsp97-119.zip
[05092004]
=====
AO-40 AMSAT OSCAR 40
Catalog number: 26609
Launch Date: November 16, 2000

Status: Non-Operational

Uplink V-band 145.840 - 145.990 MHz CW/LSB
U-band 435.550 - 435.800 MHz CW/LSB
L1-band 1269.250 - 1269.500 MHz CW/LSB
L2-band 1268.325 - 1268.575 MHz CW/LSB
S1-band 2400.350 - 2400.600 MHz CW/LSB
Downlink: S2-band 2401.225 - 2401.475 MHz CW/USB
K-band 24,048.010 - 24,048.060 MHz CW/USB
Beacon: 2401.323, 24,048.035
[05232004]
-----
SO-42 SAUDISAT-1B
Catalog number: 26549
Launched: September 26, 2000

Status: Non-Operational
Downlink: 437.075 MHz
Broadcast Callsign: SASAT2-11
BBS: SASAT2-12

Further information is available at:
http://www.amsat.org/amsat/sats/n7hpr/so42.html
[08152004]
=====
SO-41 SAUDISAT-1A
Catalog number: 26545
Launch Date: September 26, 2000

Status: Non-Operational

Uplink: 145.850 MHz
Downlink: 436.775 MHz
Broadcast Callsign: SASAT1-11
BBS: SASAT1-12

Further information is available at:
http://www.amsat.org/amsat/sats/n7hpr/so41.html
[08152004]
=====
NO-45 SAPPHIRE
Catalog number: 26932
Launch Date: September 30, 2001

Status: Non-Operational

Downlink: 437.095 MHz 1200 baud AX-25 AFSK

Uplink: 145.945 MHz UI Digipeater
Digi Callsign: KE6QMD

Everyone is welcome to use the digipeating/APRS features of Sapphire, callsign KE6QMD, as per the user service agreement located at the following
URL:
http://web.usna.navy.mil/~bruninga/pcsat/contract.txt
[03132005]
=====
MO-46 TIUNGSAT-1
Catalog number: 26548
Launched: September 26, 2000

Status: Operational

Uplink: 145.850 or 145.925 MHz 9600-baud FSK
Downlink: 437.325 MHz
Broadcast callsign: MYSAT3-11
BBS: MYSAT3-12

TiungSat-1 is Malaysia's first micro-satellite and in addition to commercial land and weather imaging payloads offers FM and FSK Amateur Radio communication.

TiungSat-1, named after the mynah bird of Malaysia, was developed as a collaborative effort between the Malaysian government and Surrey Satellite Technology Ltd.
[11202005]
=====
AO-49 AATiS OSCAR-49 (SAFIR-M)
Catalog number: 27605
Launch Date: December 20, 2002

Status: Non-operational.

Uplink 435.275 1200-baud AFSK
Downlink 145.825 9600-baud FSK
(optional voice message)
Broadcast callsign: DP0AIS

Official webpage: http://amend.gmxhome.de
[01012006]
NNNN
/EX

SB SAT @ AMSAT W8ISS $ANS-050.S4
WSR 050 Part 4 02/19/2006

AMSAT NEWS SERVICE BULLETIN 050.S4 FROM AMSAT HQ
SILVER SPRING, MD, February 19, 2006
TO ALL RADIO AMATEURS
BID: $ANS-050.S4

THE FOLLOWING SATELLITES ARE NOT IN ORBIT BUT ARE PROPOSED FOR LAUNCH AT THIS TIME:

UCISAT ?O-??
Catalog number:
Proposed Launch Date: October 31, 2005

Status: Under Construction

Downlink: Submission in Progress

Uplink: Submission in Progress
Callsign: Submission in Progress
[11272005]
=====
PHASE 3E ?O-??
Catalog Number:
Proposed Launch Date: Early 2006

Status: Under Construction

For the latest project status update please visit the AMSAT-DL
P3-E web page:
http://www.amsat-dl.org/p3e/

[ANS-WSR wishes to thank William Leijenaar, PE1RAH for this week's
report]
[10022005]
=====
CP1 ?o-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: N6CP
Proposed Transmit Frequency: 436.845
[03272005]
=====
CP2 ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA
Proposed Transmit Frequency: 437.325
[03272005]
=====
HAUSAT1 ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: D90HP
Proposed Transmit Frequency: 437.465
[03272005]
=====
ICE Cube 1 ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: W2CXM
Proposed Transmit Frequency: 437.305
[03272005]
=====
ICE Cube 2 ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: N2VR
Proposed Transmit Frequency: 437.425
[03272005]
=====
ION ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA
Proposed Transmit Frequency: 437.505

[03272005]
=====
KUTEsat ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: KC0RMW
Proposed Transmit Frequency: 437.385
[03272005]
=====
MEROPE ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: K7MSU-1
Proposed Transmit Frequency: 145.980
[03272005]
=====
RINCON ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: WA4CEW
Proposed Transmit Frequency: 436.870
437.345
[03272005]
=====
SACRED ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: WA4CEW
Proposed Transmit Frequency: 436.870
[03272005]
=====
SACRED ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: WA4CEW
Proposed Transmit Frequency: 436.870
[03272005]
=====
SEEDS ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: JQ1YGU
Proposed Transmit Frequency: 437.485
[03272005]
=====
Mea Huaka ?O-??
Catalog Number:
Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA
Proposed Transmit Frequency: 437.405
[03272005]
NNNN
/EX

ANS is released worldwide via the AMSAT ANS e-mail reflector and a live
radiocast on the AMSAT-NA 20-meter net held each Sunday on 14.282 MHz.
Pre-net operations start at 18:00 UTC, with current ANS bulletins trans-

mitted to the eastern U.S. at 19:00 UTC and to the western U.S. at 19:30 UTC.

Information on AMSAT-NA is available at the following URL:
http://www.amsat.org

AMSAT-NA
850 Sligo Avenue, Suite 600
Silver Spring, Maryland 20910-4703

Voice: 301-589-6062
888-322-6728
FAX: 301-608-3410

Currently, AMSAT-NA supports the following (free) mailing lists:

* AMSAT News Service (ANS)
* General satellite discussion (AMSAT-BB)
* Orbit data (KEPS)
* Manned space missions (SAREX)
* District of Columbia area (AMSAT-DC)
* New England area (AMSAT-NE)
* AMSAT Educational Liaison mailing list (AMSAT-EDU)
* AMSAT K-12 Educational Liaison mailing list (AMSAT-K12)

A daily digest version is available for each list.

To subscribe, or for more list information, visit the following URL:
http://www.amsat.org/amsat/listserv/menu.html

In addition to regular membership, AMSAT-NA offers membership in the President's Club. Members of the President's Club, as sustaining donors to AMSAT Project Funds, will be eligible to receive additional benefits. Application forms are available from the AMSAT-NA Office.

This week's Weekly Satellite Report Editor is James French, W8ISS.

ANS is always dedicated to past ANS editor 'BJ' Arts, WT0N, and to the memory of longtime AMSAT supporters Werner Haas, DJ5KQ, Dennis Kitchen, G0FCL and John Branegan GM4IHJ.

Please send any amateur satellite news or reports to:
ans-editor{at}amsat.org
NNNN
/EX